

Main Menu

FPS

- Basic: 12 – 300 fps
24 fps
- Advanced: 1 – 300 fps +
23.976 fps

dependent on Resolution & REDCODE settings

ISO

- 250 – 12800
ISO 800

F-Stop

- Available with RED EPIC Canon EOS Mount
- Basic: Allows adjustment of the aperture, range depends on attached lens
- Advanced: Aperture + Enter F Stop directly
- Advanced: Focus + Enter focal distance directly, range depends on attached lens

1/SEC (Exposure)

- Basic: 1 sec – 1/8000 sec
1/48 sec
 - Advanced: Exposure (Speed) +
1/48 sec 1 – 1/8000 sec +
 - Advanced: Integration Time +
20.833 ms 0.125 – 1000 ms +
 - Advanced: Angle* +
Absolute Angle 180.000 deg -1.000 – 360.000 deg +
- * “Relative“ or „Absolute“ dependent on shutter mode

White Balance

- Basic: 1700 – 10000 K
 - Advanced:
 - Preset: Daylight
 - Incandecent (2800K)
 - Tungsten (3200K)
 - Flourescent (4500K)
 - Flash (5500K)
 - Daylight (5600K)
 - Cloudy (7500K)
 - Shade (9000K)
 - Color Temp.: 1700 – 10000K +
5600 K
 - Tint: -100.000 – 100.000 +
0
 - Calc White Balance
- Apply Preset

Resolution

- 5K 2:1
5K 2:1
- 5K FF
- 5K 2.4:1
- 5K Ana
- 4K HD
- 2K 2.4:1

REDCODE

- 3:1 – 18:1
8:1 dependent on Resolution & fps



RED EPIC MENU GUIDE



Menu Guide OCTAMAS AG Switzerland
mail@octamas.com +41 44 401 58 00
www.octamas.com



LEGEND

- Lorem ipsum Are default values
- Touch this menu icon to enter the Secondary Menus / to return to settings menu
 Touch and hold to lock the touchscreen
- Advanced Touch and hold or double-click on an icon to bring up an advanced interface display
- Keypad for entering information directly
- Keyboard for entering information directly
- Slider to adjust levels
- Touch and hold to unlock the touchscreen

Secondary Menus 1/7





RED EPIC MENU GUIDE




Exposure

Not Implemented at this time



Settings


Settings see next pages



Secondary Menus 2/7

Settings

Display




RED EPIC MENU GUIDE



Menu Guide OCTAMAS AG Switzerland
 mail@octamas.com +41 44 401 58 00
 www.octamas.com

Settings

Display




RED EPIC MENU GUIDE

Secondary Menus 4/7


Settings


Look



RED EPIC MENU GUIDE

Project





Secondary Menus 6/7


Settings

Audio / Video



Automatically assign menu screen if enabled
unchecked

- Turning monitors ON/OFF or changing resolution requires a restart
- HDSDI and HDMI cannot be enabled at the same time
- Double-tapping on the touch LCD will re-enable the menus
- Settings will be applied when the dialog is closed




RED EPIC
MENU GUIDE

 OCTAMAS

Menu Guide OCTAMAS AG Switzerland
mail@octamas.com +41 44 401 58 00
www.octamas.com

Secondary Menus 7/7

Settings



RED EPIC MENU GUIDE

