



<b>SENSITIVITY</b>	ISO 100	ISO 500					
	ISO 125	ISO 640					
	ISO 160	ISO 800	ISO 2500 - 6400				
	ISO 200	ISO 1000	Mysterium-X only				
	ISO 250	ISO 1280					
	ISO 320	ISO 1600					
	ISO 400	ISO 2000					
<b>COLOR TEMP</b>	Auto WB						
	Tungsten						
	Daylight						
	Manual WB	1700 - 100000°K					
	Trim						
<b>SHUTTER</b>	<input checked="" type="checkbox"/> Genlock						
	Mode	Normal					
		Syncro					
		Relative					
	Speed	1 sec	1/12 sec	1/33 sec	1/100 sec	1/384 sec	1/800 sec
		1/2 sec	1/16 sec	1/40 sec	1/120 sec	1/400 sec	1/1000 sec
		1/3 sec	1/24 sec	1/48 sec	1/125 sec	1/500 sec	1/1200 sec
		1/4 sec	1/25 sec	1/50 sec	1/192 sec	1/696 sec	1/2000 sec
		1/6 sec	1/30 sec	1/60 sec	1/200 sec		
		1/8 sec	1/32 sec	1/96 sec	1/250 sec		
	Syncro	10 - 90					
	Phase	-45° - 45°					
<b>VARISPEED</b>	Varispeed						
	<input checked="" type="checkbox"/> Ramp	On-Record					
		On-Event					
	Framerate	2K: 1 - 120fps	depending on Project Settings				
		3K: 1 - 60fps					
		4K: 1 - 30fps					
	4.5K: 1 - 30fps						
	Time	1 - 120 sec					
	End Rate	2K: 1 - 120fps	depending on Project Settings				
		3K: 1 - 60fps					
		4K: 1 - 30fps					
		4.5K: 1 - 30fps					
<b>TIMELAPSE</b>	<input checked="" type="checkbox"/> Enable	Interval					
		One-Shot					
	Speed	1/2 sec	1/24 sec	1/48 sec	1/125 sec	1/500 sec	
		1/3 sec	1/25 sec	1/50 sec	1/192 sec	1/696 sec	
		1/4 sec	1/30 sec	1/60 sec	1/200 sec	1/800 sec	
		1/6 sec	1/32 sec	1/96 sec	1/250 sec	1/1000 sec	
		1/8 sec	1/33 sec	1/100 sec	1/384 sec	1/1200 sec	
		1/12 sec	1/40 sec	1/120 sec	1/400 sec	1/2000 sec	
		1/16 sec					
		Step Print	1 - 10 frames				
	Interval	1 sec	8 sec	256 sec			
		2 sec	16 sec	512 sec			
		3 sec	32 sec	1024 sec			
		4 sec	64 sec				
		5 sec	128 sec				
	Burst Type	Repeated					
		Unique					


\*Menu configurable only when in Master/Slave

# VIDEO

## B.31 v31.6.16 RED ONE MENU GUIDE









## SETUP


### PREFERENCES




### MAINTENANCE




### SET CLOCK



### REMOTE



### PROGRAM



Menu Guide OCTAMAS AG Switzerland  
 mail@octamas.com +41 44 401 58 00  
 www.octamas.com